

Gastroenterology, Hepatology and Endoscopy

American Board of Internal Medicine
Diplomate in Gastroenterology & Internal Medicine

David Cohen, M.D.

Arin H. Newman, M.D.

Daniel Wolfson, M.D.

| Nan | ne: Date: |
|-------------------------|---|
| | Preparation for Colonoscopy with Miralax & Dulcolax |
| You Note | are scheduled for a Colonoscopy on at 2: The facility may call you to change arrival time |
| Purc | chase at the pharmacy: 4 (four) Dulcolax (Bisacodyl) 5mg tablets (LAXATIVE) over the counter, a 238gram |
| Miral | lax . You will need 64 oz of water or if you prefer Crystal Light. |
| Rybe | week prior to the procedure: Please do not take any GLP1 receptor agonists such as Ozempic, Mounjauro, elsis, Trulicity, Victoza or Bydureon. Do not take diet pills or smoke marijuana. u don't follow the instructions, the anesthesiologist will cancel your procedure |
| Clea put a strair | r liquids that you can take are the following: (A CLEAR LIQUID DIET MEANS NOTHING TO EAT) or bouillon, broth or consommé, tea, coffee, decaffeinated tea or coffee, Kool-Aid, carbonated beverages. Do not any milk or cream in your tea or coffee. Juices including clear cranberry, white grape, and clear apple juice, ned lemonade, limeade, any juices that you can see through and has no pulp. Also acceptable is water ices, in ices, popsicles, and you can have jello (NO Red or Purple). |
| <u>One</u> | day before the procedure: |
| ; | Clear liquids diet (all day) from the time you wake up. Any time from 3:00 pm to 6:00 pm take the 4 of the 5mg Dulcolax laxative tables at once. Two hours after you have taken the Dulcolax tablets you will mix the 238grams bottle of Miralax into the 64oz water or Crystal Light. Mix the solution until the powder dissolves. Drink an 8ox glass every 20 minutes until the solution is finish, you can drink faster if you like Continue drinking clear liquids until bedtime if you wish. No more drinking after midnight. |
| On t | he day of the procedure: |
| 1. 2. | Do not eat or drink anything that day, unless the medicines approved by your doctor. If you must take any medication, you may drink it with a small amount of water. You should take your blood pressure pills. |
| 3. 4. | Please call # 305-674-5925 options #2 if you have any questions. NO DRIVING You cannot drive; use a bus or taxi after the procedure by yourself. You must be accompanied by an adult. If this procedure is not followed, the hospital or endoscopy center may cancel your appointment. |
| | Patient Responsibility (PROFESSIONAL FEE ONLY) This is an estimated fee for just the doctor's services. You may have additional fees for the facility and lab/pathology. |